



A JAPANESE LEATHER KNIFE
Wide, curved blade made of double-layered steel with wrapped handle. Right bevel.
Blade thickness 2 mm
Overall length 195 mm
Blade width 25 mm
No. 710532



B BEVEL KNIFE
For skiving (trimming) leather edges. Right bevel.
Blade width 22 mm

Blade thickness 2 mm
Overall length 270 mm
No. 704564

C JAPANESE LEATHER BEVEL KNIFE
For cutting and trimming leather and cardboard. Single-bevel blade made of double-layered steel. Magnolia handle.
Blade width 36 mm
Blade length 65 mm
Blade thickness 2 mm
Overall length 185 mm
No. 710714



D PFEIL® HALFMOON KNIVES
The traditional saddler's knife with a wide, semicircular blade allows the knife to be guided at a right angle even when cutting thick leather. Long, exact cuts are made with the middle of the blade, tight radii with the tips. Also used for thinning out leather. Ground ready to use. Handle made from oiled native cherrywood, with brass ferrule.
Lifetime warranty on material and workmanship. 59-61 HRC.
Blade width
125 mm **No. 701366**
150 mm **No. 701367**



E OSBORNE SADDLER'S KNIVES
Long, exact cuts are made with the middle of the blade, tight curves with the tips. Can also be used horizontally for thinning out and skiving leather. Ground ready to use. Red stained beech handle with brass ferrule. 55 HRC.

1 Halfmoon Knife
Traditional saddler's knife with wide half-moon blade, can easily be guided at a right angle.
Blade width 125 mm
No. 708303



2 Head Knife
The mushroom-shaped all-rounder for all leather planing work and, thanks to the shorter blade, suitable for precise cuts with a short distance from one another.
Blade width 120 mm
No. 708534



I PROFESSIONAL LEATHER PLANES
Tool made of high-quality steel for tapering (thinning) leather edges. Replaceable cutter.
Overall length 170 mm
Blade length 40 mm
No. 708306
Replacement Cutters, 10-Piece Set
No. 708339



F AUSTRALIAN STRAP CUTTERS
High-quality strap cutter for cutting leather strands and straps up to 12 mm width. Easily guided. Suitable for straight and curved leather edges. Chrome-plated



cast steel with smooth-running, continuously adjustable setting mechanism made of brass.
No. 708346
Replacement Cutters, 10-Piece Set
No. 708339



G STRAP CUTTERS
This wooden strap cutter cuts leather straps up to 100 mm width. The leather is guided through the continuously adjustable clamping bars and cut with a



cutter, which is easy to replace. Max. thickness of leather 7 mm. 205 x 165 mm
No. 708327
Replacement Cutters, 5-Piece Set
No. 708338



H STRAP CUTTERS FOR ENDLESS BELTS
The strap cutter for endless belts allows you to easily and quickly cut leather straps. In order to perform this operation, you need to make a hole in the leather piece, through which the strap will be inserted. Then scrape along the edge of the hole until a piece of belt protrudes from the strap cutter. Now you can simply pull on the strap piece and the strap will cut itself around the hole edge until the leather piece is used up.



Different widths of approx. 2-4 mm, incl. blade. Suitable for leather with max. 3 mm thickness.
No. 708536
Replacement Cutters, 10-Piece Set
No. 708339



J PROFESSIONAL LEATHER PLANES
Handy leather plane for ergonomic and easy working. Made of high-quality steel. Thanks to this professional tool, it is possible to evenly taper (thin) leather edges. Also recommended for shaping surfaces or concave shapes, e.g. when shaping a seat. Replaceable cutter.
Overall length 160 mm
Blade length 40 mm
No. 708535
Replacement Cutters, 10-Piece Set
No. 708339



A

A LEATHER SCISSORS

These professional leather scissors easily cut even through stiff, thick leather. The sharp, non-serrated scissor blades allow cleanest cuts without leaving teeth marks. The scissors' light weight, its good ergonomics and its high mechanical advantage make it ideal for long working sessions. Its flat tips prevent the blades from being stuck when cutting. Also suitable for rubber, thick cardboard, soft plastics etc. Blade length 75 mm Overall length 210 mm

No. 708207



B

B SWIVEL KNIFE

This ball-jointed knife is used to pre-cut the outlines of motifs to be punched. Its length can be adjusted to fit any hand size, allowing perfect, comfortable control and thus exact cuts. The knife is manufactured in Japan from high-quality materials. Handle diameter 11 mm. Without blade.

Overall length 70-90 mm

No. 708428



C

C SWIVEL KNIFE BLADE, DELICATE

For fine, detailed cuts. Made of high-quality carbon steel. This wear-resistant steel has a long edge life and allows accurate leather edges.

Fits No. 708428 and 708508.

Blade width 6.3 mm

No. 708430



E

E SWIVEL KNIFE ERGONOMIC

With rubberised handle for continuous, fatigue-free work. With its ball bearing finger rest and adjustable length, this swivel knife adapts perfectly to fit any hand size. Allows for comfortable and precise guidance when pre-cutting contours for punching, even with larger workpieces. Comes with 9.5 mm wide, straight blade. Handle diameter 13 mm. Adjustable overall length, with blade from 93 to 103 mm.

Overall length 93-103 mm.

No. 708508



D

D SWIVEL KNIFE BLADE, UNIVERSAL

Classic swivel knife blade for universal use. Made of high-quality carbon steel. This wear-resistant steel has a long edge life and allows accurate leather edges.

Fits No. 708428 and 708508.

Blade width 9 mm

No. 708429

Stamps

F TRACING FILM

The tracing film is used to punch and transfer motifs to the leather. The heavy foil paper is waterproof, does not roll up when exposed to moisture, and even withstands strong pressure during tracing. This means that the motif stencils can be used as many times as necessary. 914 x 508 mm

No. 820264



F




G

G MODELLING TOOL

For modelling reliefs as well as stamped borders and patterns on leather. With the spoon tip, you can smooth irregularities on the surface, while the ball tip allows

fine details and lines as well as rebates. Ball tip \varnothing 1.4 mm, spoon width 6.3 mm. Overall length 170 mm

No. 708438



H

1



H STAMP SETS, BASIC MOTIFS

Comprising the six most common motif stamps. With this well-assorted starter set, you can create borders, continuous patterns and pictures on leather. Overall length 110 mm

1 6-Piece Set

Content: A104 dotted drop, B197 plain square for contours, C431 half moon, P206 plain drop, S705 toothed dot, V407 sickle.

No. 708056



2

2 7-Piece Set

This set comes additionally with a swivel knife, blade width 9.5 mm.

Content: A104 dotted drop, B197 plain square for contours, C431 halfmoon, P206 plain drop, S705 toothed dot, V407 sickle Swivel knife (No. 708509). No. 708506



I STAMPS, BEVELLED, CHEQUERED, 3-PIECE SET

With this set you can press down the edge of a punched motif. In this way, the motif looks three-dimensional. Drop-shaped stamp for fine spaces.

Content: beveller stamp, chequered 7 x 7 mm, beveller stamp, chequered 6.5 x 4.5 mm, teardrop-shaped stamp, chequered 6 x 2 mm.

Overall length 110 mm

No. 708068




J

J STAMPS, BACKGROUND STRUCTURE, 2-PIECE SET


With this set of stamps, you can emboss leather with a deeper, more finely structured background, thus producing a more vivid and three-dimensional pattern.

Content: Round: \varnothing 8.5 mm Drop shape: 6 x 3 mm Overall length 110 mm


No. 708106



A STAMP, GEOMETRIC PATTERN
With this geometric stamp, you can emboss attractive background patterns on leather.
Dimensions 11,5 x 11,5 mm.
Overall length 110 mm
No. 708105



B STAMP, WICKER PATTERN
With this geometric stamp, you can emboss large backgrounds to give the leather a wicker look.
Dimensions 11,5 x 6 mm.
Overall length 110 mm
No. 708104




C STAMP, WAVY BORDERS
With this stamp, you can emboss wavy edges and borders on leather. Closed contours are also possible.
Dimensions 10 x 9 mm.
Overall length 110 mm
No. 708101



D STAMPS, ROPES, 4-PIECE SET
By linking the different rope designs, you can create closed contours and borders on leather. The rope stamp can also be used to frame pictures and continuous patterns. Stamp width 4 mm.
Content:
R1 short straight (10 mm) / R2 long straight (17 mm) / R3 corner / R4 curve
Overall length 110 mm
No. 708058



E STAMPS, BARBED WIRE MOTIF, 4-PIECE SET
With this stamp, you can emboss barbed wire-patterned edges and borders on leather. Closed contours are also possible.
Content:
Straight (10 mm) / straight with two thorns (13 mm) / straight with four thorns (13 mm) / curve
Overall length 110 mm
No. 708100



F STAMP, LETTERS AND NUMBERS, 36-PIECE SET
With the 36-piece set you have a full kit of all western letters and digits. The lower edge is marked to make it easier to use. Handlebar included.
Letter height 6,4 mm (1/4 inch).
Overall length 110 mm
No. 708537



G ORNAMENTAL PUNCHES, 18-PIECE SET
18-piece punch set with different patterns for decorating leather and wooden surfaces. Punches can also be heated for branding technique. Tool steel.
11 x 11 x 68 mm
Overall length 65 mm
No. 708311



H STITCH MARKER

Elegant stainless steel tool with brass hoop and betula wood handle for marking seams. Thanks to the bent shaft, the stainless steel wheel can be moved ergonomically and marks stitches every 4 mm.

Overall length 145 mm
No. 708326



I GROOVERS

For sinking seams or gouging decorative grooves. The blade is set off-centre and therefore ideal for cutting accurate parallels along leather edges. The replaceable blade is fully and easily adjustable. The distance between stop and blade can be adjusted between 3 and 33 mm, groove width 1 mm. Solid steel blade holder. Manufactured in Japan from high-quality materials.
Overall length 135 mm
No. 708421
Replacement Cutter
No. 708431



J GROOVERS WITH FREEHAND OPTION

For parallel sinking of seams and cutting decorative grooves along edges.
For working on leather surfaces, the adjustable parallel fence (1-12 mm) can be removed.
The supplied steel tip allows it to be used as a creaser, free-hand or with a fence.
Solid steel blade holder. Precisely ground, replaceable blade, groove width 1 mm. Manufactured in Japan from high-quality materials.
Overall length 140 mm
No. 708423
Replacement Cutter
No. 708433




K STITCH MARKERS, 6-PIECE SET
The stitch marker is used to mark the distance between the individual insertion holes of a stitch. The set contains four replaceable marking wheels with seam spacings of 3,5 mm, 4 mm, 5 mm, and 6 mm. Includes a small screwdriver to replace the wheels.
Overall length 140 mm
No. 708299

L LEATHER THONGING CHISELS
High-quality Japanese chisels for marking and punching holes. The knurled handles prevent slipping.
Tooth spacing 5 mm
Overall length 110 mm

- 1 1 Prong **No. 708435**
- 2 3 Prongs **No. 708436**
- 3 6 Prongs **No. 708437**





A SADDLEMAKER'S NEEDLES

Needles with a short tip. 25 pieces.

Overall length Thickness Thread diameter

	Overall length	Thickness	Thread diameter	No.
1	42 mm	0.7 mm	0.2 mm	No. 708416
2	60 mm	1.1 mm	0.6-0.8 mm	No. 708415
3	80 mm	1.4 mm	0.6-1.2 mm	No. 708417



C DICTUM® ROUND AWLS

For widening stitch holes in repair work or new projects. Precious wood handle with heavy duty brass ferrule.

Awl diameter 2 / 2.5 / 3 mm.

Overall length 120 / 135 mm / 150 mm.

Awl length

30 mm	No. 708445
45 mm	No. 708446
60 mm	No. 708442



D DICTUM® SADDLER'S AWL

For piercing leather for saddler's seams.

Diamond-shaped cross-section

2.7 x 1.4 mm. Precious wood handle

with heavy duty brass ferrule.

Awl length 25 mm.

Overall length 115 mm.

No. 708444



H AWL ASSORTMENT, 3-PIECE SET

Stabbing awl, curved sewing awl and

stitching awl. Fits awl handle No. 708301.

Overall length 60 mm

No. 708302



G AWL HANDLE

Clamping handle with knurled ferrule.

Overall length 95 mm

No. 708301



B SEWING HOLSTER

Guard with metal insert for pushing needles through leather, thick fabric and felt. Strong leather, riveted.

Right-handed. 55 g.

No. 708300



E

E LINEN THREADS, UNWAXED

Unwaxed linen thread for hand-stitched seams in leatherwork. Is usually drawn through beeswax before use.

Thickness 0.6

Fits saddlemaker's needle No. 708415.

Overall length 30 m

No. 831400 0.16 €/1 m



F

F LINEN THREADS, WAXED

Thanks to its waxed surface, this smooth linen thread is water-resistant and keeps its shape. Length 10 m, thickness 0.8 mm. Suitable saddlemaker's needles No. 708415, 708417.

1 white

No. 709025 0.49 €/1 m

2 dark brown

No. 708085 0.51 €/1 m

Thickness 0.8

Fits saddlemaker's needles No. 708415,

708417.

Overall length 30 m

No. 831402 0.20 €/1 m

Thickness 1.2

Fits saddlemaker's needle No. 708417.

Overall length 25 m

No. 831404 0.27 €/1 m



J

J WOODEN CREASER

For marking seam lines or making decorative grooves along leather edges. Features four different

widths: 1.0 / 1.5 / 2.5 / 2.8 mm.

Made from untreated beechwood.

Overall length 210 mm

No. 708503



K

K FOLDING BONE

Folding bone for smoothing seams, folding and polishing leather edges as well as folding paper. Buffalo bone.

180 x 20 x 5 mm

No. 708305



L GOUGES

To fold thick leather, this tool is used to «gouge out» grooves along the folding edges. This will allow sharp-edged folds and corners. Can also be used to countersink seams. The depth stop can be adjusted with a knurled screw.

V-shaped blade for detailed works like book covers and leather wrappers

Blade width 4 mm

Overall length 145 mm

No. 708414



U-shaped blade No. 1, for saddle works

Blade width 2.4 mm

Overall length 145 mm

No. 708412



Stitching Pony

For holding the trim firmly in place, allowing you to use both hands to control the cutting or sewing tools. This aid greatly reduces the risk of injury when forcing awls or needles through layers of leather. Allows a comfortable working position, whether sitting or standing. Self-opening mouth through pressure spring. Clamps by tightening the wing nut.



I STITCHING PONY

Solid wood stitching pony in an elegant design with integrated aluminium hinge. Practical base plate for clamping on table tops or worktops.

Max. mouth opening 45 mm, mouth

width 90 mm, mouth depth 150 mm,

arm length 270 mm.

Overall length 350 mm

1.2 kg

No. 708171





A EDGE SLICKER, 4 WIDTHS
For burnishing leather edges after skiving with an edge beveller or an edge trimming plane. Use the four U-shaped profiles to slick leather up to 10 mm thick. The edge slicker is ideal for hard-to-reach, tight spaces, perforations and narrow curves.



Overall length 145 mm
No. 708504



B EDGE BEVELLERS, 3-PIECE SET
For fine leather edges: Ergonomically curved edge beveller for removing shavings and bevelling leather edges. A supplied sharpening set allows easy and precise sharpening. The set contains three edge bevellers for 0.8 mm, 1.0 mm and 1.2 mm wide bevels. Includes case.



Overall length 180 mm
No. 708420



C BELT AWL
Blunt awl for stretching and enlarging holes in leather for easy sewing and lacing. Also used for leather braiding, tightening or loosening knots. Overall length 120 mm
No. 708418



D EDGE BEVELLERS
For bevelling and rounding off leather edges. Each tool is ground by hand and tested. Stained maple handle. Overall length 135 mm
Blade width
4 mm No. 708309
4.8 mm No. 708325



E OSBORNE BRAIDING NEEDLES
The braiding needles from Osborne have particularly fine tips. The separable braiding needle with lockable spring-steel clip is ideal for braiding leather.



ΕΛΒΕΤΙΑΣ

	Blade width	Overall length
LK1	0,75 mm	190 mm
LK2	1 mm	190 mm
LK3	1,5 mm	190 mm



F RIVETS, 10 PAIRS
These rivets are ideal for joining and securing leather pieces. Can be detached thanks to a screw mechanism. Head diameter 10.5 mm, rivet diameter 5 mm.

- 1 Solid brass**
Clear length 7 mm
No. 708108
Clear length 10 mm
No. 708111
- 2 Nickel steel**
Clear length 7 mm
No. 708109
Clear length 10 mm
No. 708110



The leather laces can be inserted and held in the clip.
10 pieces.
Overall length 57 mm
No. 708419



G LEATHER DRILL PUNCH AWL WITH PUNCH, Ø 3 MM
Japanese drill-action punch awl for cutting clean holes in leather, plastic and cardboard. Very sharp, hardened, replaceable punches.

Brass shank, beech handle.
Ø 3 mm
Overall length 140 mm
No. 716331



H PUNCHES
Fits Leather Drill Punch Awl No. 716331.
Ø
1 1.0 mm No. 716332
1.2 mm No. 716333

Ø
1.5 mm No. 716334
1.8 mm No. 716335
2.0 mm No. 716336
2.5 mm No. 716337
3.0 mm No. 716338
3.5 mm No. 716339
2 4.0 mm No. 716340
4.5 mm No. 716341
5.0 mm No. 716342

I EYELET PLIERS, Ø 5 MM
Stable, professional-grade, chromed eyelet pliers with solid head, punching mechanism and depth stop. Depth stop fully adjustable from 5-13 mm. Max. stapling capacity 30 sheets of 65 g paper (3.4 mm). Ø punch hole 5.2 mm - for eyelets with 5 mm inside diameter. Overall length 170 mm
No. 711996



J BRASS EYELETS, Ø 5 MM, 250-PIECE SET
High-quality eyelets of solid brass. For materials up to 2.7 mm thick. Ø punch hole 5.2 mm, eyelets inside diameter 5 mm. Fits eyelet pliers No. 711996.
No. 711997



L REVOLVING PUNCH PLIERS
For punching leather, cardboard, rubber, plastic etc. Six punches with diameters of 2 / 2.5 / 3 / 3.5 / 4 and 4.5 mm. The diameter is displayed in the view window.

Pressed, anti-skid corded steel shanks with stop.
270 g. Overall length 210 mm
No. 711995

K Arc Punches, 5-Piece Set
High-quality set of arc punches made in Germany. Comes in sturdy, impregnated cotton bag with quick release strap. Suitable for punching cardboard, leather, rubber and other soft materials.

Cutting edge hardened and tempered to HV 480 to 558 kp/mm² (HRC 47-52). Polished necks, shank machined and lacquered in red. Ø 6 / 8 / 10 / 12 / 20 mm.
No. 729473



For leathers visit www.dictum.com

Leather is a natural product and will therefore inevitably show differences in form, colour, structure and size. Depending on the country of origin, the standard sizes and units are m², dm² and sq. ft. (square footage).


1 sq. ft.	= 0,093 m ²
1 dm ²	= 0,01 m ²
1 m ²	= 10,763 sq. ft.
1 m ²	= 100 dm ²

The leather is measured either using photoelectric cells or mechanical sensors.



A REVOLVING PUNCH PLIERS WITH TRANSMISSION
70 % less force required thanks to lever transmission:
Makes strong and hard materials easy to work on. Professional-grade revolving punch pliers with six replaceable punches. With lever transmission (70 % less force required), nickel-plated surface, ergonomic plastic handles.
Metric punch diameters 2.0 / 2.5 / 3.0 / 3.5 / 4.0 / 4.5 mm.
A view window for reading the set hole size prevents mispunching.
450 g.
Overall length 250 mm

1 Round Punches
No. 711993



2 Oval Punches
No. 711998




B HOLE PUNCH SET WITH CIRCLE CUTTER
Hole punch set consisting of rubberised hard plastic handle with spring-loaded drive head, 15 punch blades of different diameters, a spring-loaded centring tip and a circle cutter. The small blades are screwed onto the handle, while medium blades (small base) and large blades

(large base) are inserted and snap on. This makes it easy to cut rings of different diameters and punch accurate holes. The circle cutter with replaceable blade is used for round cut-outs of up to Ø 360 mm. Blades Ø 3, 4 and continuing at 2 mm increments up to 30 mm. Burnished blades, chrome-plated handle.
No. 708347



Papercraft Tools




F CUTTING PAD
Elastic, slip-proof pad with »self-repairing« surface. Can also be used as a base for writing and drawing.
With imprinted grid.

460 x 600 mm
No. 708093
600 x 900 mm
No. 708089



G MAT CUTTER
For 45° and 90° cuts.
V-shaped sharpened blade for cutting clean edges.
Plastic body with two blade holders and five double-sided blades.
No. 708090
5 Replacement Blades
No. 708091



H PAPER CUTTER
For cutting paper, cardboard, foil and thin fabrics. Rotating blade, ergonomic aluminium handle.
Blade Ø 45 mm (thickness 0.3 mm).
Overall length 150 mm.
No. 710536
Replacement Blade
No. 710537





I ALUMINIUM GUIDE RAIL FOR MAT CUTTER
With groove for the mat cutter (No. 708090), slip-proof and with scale markings.
600 mm
No. 708092



J FOLDING BONE
Folding bone for smoothing seams, folding and polishing leather edges as well as folding paper. Buffalo bone.
180 x 20 x 5 mm
No. 708305



K GLUE FOR SHOJI PAPER
Starch-based liquid glue, especially suited for Shoji paper. Dosing spout with stop for accurate application to Shoji rungs. Not suited for resinous woods.
150 ml
No. 715990 2.13 €/100 ml



L MAKING SHOJI
Toshio Odate: Masterpieces of Japanese craft culture. In this book, Toshio Odate explains how to make a Japanese sliding door, from layout to gluing on the paper. Having been trained himself as a tategushi (sliding-door maker) in Japan, he gives insight into this traditional craft with great expertise and explains the process comprehensibly.
120 pages, paperback, 217 b/w photographs and 51 drawings, 210 x 280 mm. In English.
No. 713470