


ΣΚΑΛΙΣΤΙΚΑ ΕΡΓΑΛΕΙΑ ΤΟΡΝΟΥ 2020



ΜΕΤΡΗΣΗ ΛΑΜΑΣ
Αναφέρεται η εξωτερική διάμετρος του εργαλείου

ROUGHING-OUT GOUGE (ΞΕΧΟΝΔΡΙΣΤΗΡΕΣ)	230 (38cm)	231 (53cm)
	30mm	35mm
HSS/straight grind (ready-to-use bevel) Beech stained	ΣΚΑ2.01.010 720353	ΣΚΑ2.01.015 720354
HSS/special grind (ready-to-use bevel) Ash Handle	720313	
CRYOGENIC HSS/special grind (ready-to-use bevel) Ash black	701901	701902
PRO PM Roughing-out Gauge Ash black special grind (ready-to-use bevel)	701954	

Straight grind

Special grind

For removing large amounts of stock during preliminary rounding. Drop-forged, deep fluted blade.

SPINDLE GOUGE ENGLISH STYLE (ΣΓΡΟΜΠΙΕΣ)	235 (40cm)	236	237	238
	6mm	10mm	13mm	24mm
ENGLISH STYLE factory grind Beech stained (Overall length: 400 mm)	ΣΚΑ2.01.030 720340	ΣΚΑ2.01.035 720341	ΣΚΑ2.01.040 720342	ΣΚΑ2.01.045
ENGLISH STYLE fingernail grind (ready-to-use bevel) Ash Handle (Overall length: 400 mm)				
CRYOGENIC ENGLISH STYLE fingernail grind (ready-to-use bevel) Ash black (Overall length: 438 mm)	701905	701906	701907	

ΛΟΥΚΙ ΣΤΑ 3/4 ΤΗΣ ΛΑΜΑΣ ΓΙΑ ΜΕΓΑΛΥΤΕΡΗ ΑΚΑΜΨΙΑ

Factory grind

Fingernail grind

Milled from round material. Well-priced alternative to the »European style« spindle gouge for cutting deep profiles along the grain. Shorter flute for added rigidity.

SPINDLE GOUGE EUROPEAN STYLE (ΣΓΡΟΜΠΙΕΣ)	2306	2308	2312	2319	2325	2332
	7mm	9mm	13mm	19mm	25mm	32mm
EUROPEAN STYLE fingernail grind (ready-to-use bevel) Beech stained	720344	720345	ΣΚΑ2.01.043 720346	ΣΚΑ2.01.044 720347	720348	720349
EUROPEAN STYLE fingernail grind (ready-to-use bevel) Ash Handle Overall length 380 mm	720304		720306			720309
CRYOGENIC EUROPEAN STYLE fingernail grind (ready-to-use bevel) Ash black	701936	701937	701938	701939	701940	701941

The drop-forged flutes run the entire length of the blades.



ΛΟΥΚΙ ΣΕ ΟΛΟ ΤΟ ΜΗΚΟΣ ΤΗΣ ΛΑΜΑΣ

Fingernail grind


HEAVY-DUTY BOWL GOUGE (ΣΓΡΟΜΠΙΕΣ ΓΙΑ ΜΠΩΛ)	240	241	242	
	9mm	13mm	16mm	22mm
HSS/factory grind Beech stained OL 610mm	ΣΚΑ2.01.048 720350	ΣΚΑ2.01.050 720351	ΣΚΑ2.01.051 720352	
HSS/fingernail grind (ready-to-use bevel) Ash Handle OL 610mm				
CRYOGENIC HSS/fingernail grind (ready-to-use bevel) Ash black OL 610mm	701909	701910	701911	701912

Primarily for large-scale facework. Made of round stock with milled, deep flutes.




PARTING TOOL Triangular	244	245
	3mm	6mm
HSS/factory grind (ready-to-use bevel) Beech stained	ΣΚΑ2.01.055 720361	ΣΚΑ2.01.065 720362
HSS/factory grind (ready-to-use bevel) Ash handle		
CRYOGENIC Ash black	701926	701927
European Style Single Bevel Ash handle European Style Single Bevel		




PARTING TOOL Knife-Shaped	Blade width 1.6 mm	244A
Beech stained		ΣΚΑ2.01.060
Ash handle		
Thin, very rigid blade for making fine grooves and parting cuts. 30 mm.		




SQUARE END SCRAPER (ΞΥΣΤΡΕΣ)	253
	13mm
HSS/factory grind (ready-to-use bevel) Beech stained OL 380mm	ΣΚΑ2.01.078 720368
HSS/factory grind (ready-to-use bevel) Ash handle OL 380mm	720328
CRYOGENIC Ash black OL 438mm	701919
For finishing flat and convex surfaces. Primarily for facework. Double bevel.	










ROUND NOSE SCRAPERS (ΞΥΣΤΡΕΣ ΣΤΟΓΓΥΛΕΣ)	260	261	262
	13mm	19mm	25mm
HSS/factory grind (ready-to-use bevel) Beech stained OL 380mm	ΣΚΑ2.01.090 720369	ΣΚΑ2.01.095 720370	ΣΚΑ2.01.100
HSS/factory grind (ready-to-use bevel) Ash handle OL 380mm			
For finishing the surfaces of curved objects. Primarily used for spindle turning.			



SIDE CUTTING SCRAPERS	265
	19mm
HSS/factory grind (ready-to-use bevel) Beech stained OL 380mm	ΣΚΑ2.01.102 720365
HSS/factory grind (ready-to-use bevel) Ash handle OL 380mm	720325
For finishing the bottoms and inner surfaces of hollow forms and for undercutting.	


MULTI TIP SCRAPERS	268	ΑΝΤΑΛΛΑΚΤΙΚΕΣ ΚΕΦΑΛΕΣ		
		ΤΕΤΡΑΓΩΝΗ	ΣΤΡΟΓΓΥΛΗ	ΑΧΛΑΔΙ
	ΣΚΑ2.01.107	ΣΚΑ2.01.106	ΣΚΑ2.01.108	ΣΚΑ2.01.109
				
HSS/factory grind (ready-to-use bevel) Ash handle OL 380mm	701943	701944	701945	701946
Ευέλικτη λύση για επεξεργασία εσωτερικών και εξωτερικών επιφανειών κάθε είδους σχήματος. Λάμες ανταλλακτικές, τετράγωνη, στρογγυλή και αχλάδι κωνικής κοπής.		Με τρεις		

SKEW CHISELS	270	270A	271
	13mm	19mm	25mm
HSS/factory grind (ready-to-use bevel) Beech stained OL 380mm	ΣΚΑ2.01.110 720355	ΣΚΑ2.01.115 720356	ΣΚΑ2.01.120 720357
CRYOGENIC HSS/factory grind (ready-to-use bevel) Ash black OL 418mm	701914	701915	701916
HSS/factory grind (ready-to-use bevel) Ash handle OL 380mm			
PRO PM HSS/factory grind (ready-to-use bevel) Ash black OL 485mm	701814	701977	701815
Standard tool for smoothing both flat and curved surfaces. Skew edged, double bevel.			

BEAD FORMING TOOLS	DIAMETER OF BEAD	276	
		6mm	10mm
HSS/factory grind (ready-to-use bevel) Beech stained OL 380mm		ΣΚΑ2.01.130	
		701933	701934



For cutting accurate beads and pre-shaping rings.

Hattori® Turning Tool Sets

Οικονομικά εργαλεία τόνου από χάλυβα HSS (63 HRC) με αντοχή στην θερμότητα.

Με 3 ετών εγγύηση.

Εργονομικά διαμορφωμένες λαβές σκληρού ξύλου, καλογιαλισμένες επιφάνειες, χωρίς αιχμηρές άκρες, και μεγάλα ορειχάλκινα δακτυλίδια. Κάθε σετ περιέχεται σε ξύλινη θήκη.

Οι αναφερόμενες προδιαγραφές είναι κατά προσέγγιση

MINI, 5-PIECE SET

For small scale spindle and faceplate turning.

Gouges, 3 and 6 mm;
round nose scraper, 6 mm;
skew scraper, 6 mm;
standard parting tool,
triangular, 2 x 6 mm.
Overall length 260 mm
Handle length 155 mm

No. 701853



C HATTORI® HSS TURNING TOOLS, MIDI, 8-PIECE SET

Versatile set of compact gouges for spindle turning and small scale faceplate turning.

Roughing-out gouge, 19 mm;
2 gouges, 10 mm; spindle / bowl gouge;
oval chisel, 13 mm; scraper, 13 mm;
round nose scraper, 13 mm;
standard parting tool, triangular, 4 x 13 mm;
diamond parting tool, 4 mm.
Overall length 290 mm
Handle length 195 mm

No. 701851



D HATTORI® HSS TURNING TOOLS,

MAXI, 6-PIECE SET

The basic assortment of tools for spindle and faceplate turning.

Roughing-out gouge, 22 mm;
gouges, 10 and 13 mm;
oval chisel, 25 mm;
round nose scraper, 19 mm;
diamond parting tool, width 5 mm.
Overall length 470 mm
Handle length 300 mm

No. 701850



CROWN® Turning Tool Sets



Standard Turning Tools, 8-Piece Set

701809



Basic turning tool set for beginners Cryogenic, Black Stained Ash Handle

701807



Mini Turning Tools

701952