


PFEIL® CARVING TOOLS
 The exceptionally durable and wear-resistant carving tools from the Swiss company Pfeil are not only well-known among experts. With over 700 forms and sweeps, Pfeil offers the largest and most variable product range. The products of the world's leading manufacture of fine carving tools are made from specially alloyed, hard tool steel, forged and ground on precision machines, heat-treated in an electric furnace and sharpened by hand ready-for-use. The blades are uniformly hardened to 59-61 Rockwell along their entire length, the break-proof oiled ash handles are mounted with inner

ferrules. Only indigenous woods and solvent-free oils are used.

► **3-year quality guarantee!**

Overall length 250 mm

Blade length 120 mm



A FLAT CHISELS, STRAIGHT, DOUBLE BEVEL
 Straight chisels are preferred for lettering, but are also suitable for chip carving and for smoothing straight or slightly convex surfaces in figure sculpting. The skewed variant can be drawn across the surface and cuts into corners more easily.

Sweep 1, straight cut
 Blade width

- 2 mm No. 700800
- 3 mm No. 700801
- 5 mm No. 700802
- 8 mm No. 700803
- 10 mm No. 701220
- 12 mm No. 700804
- 16 mm No. 700805
- 20 mm No. 700806
- 25 mm No. 700807
- 35 mm No. 700808
- 40 mm No. 700763

22mm

Sweep 1S, skew cut

- 2 mm No. 700810
- 3 mm No. 700811
- 5 mm No. 700812
- 8 mm No. 700813
- 12 mm No. 700814
- 16 mm No. 700815
- 20 mm No. 700816



B GOUGES, STRAIGHT
 Gouges are used for anything from rough work to shaping to finishing, and are therefore the most versatile sculptor's tools. If necessary, each of these gouges can also be used the other way round to work on convex surfaces. The 11-sweep tools, which take you from gouge to V-parting tool, are often used to create shape transitions.

Sweep 2
 Blade width

- 3mm
- 5 mm No. 701223
- 8 mm No. 701224
- 12 mm No. 700818
- 16 mm No. 701355
- 20 mm No. 700820
- 30 mm No. 700819

25mm

Sweep 3

- 2 mm
- 3 mm No. 700821
- 5 mm No. 700822
- 8 mm No. 700823
- 10 mm No. 701226
- 12 mm No. 700824
- 16 mm No. 700825
- 20 mm No. 700826
- 25 mm No. 700827
- 30 mm No. 700828
- 35 mm No. 700829
- 40 mm No. 700765

B GOUGES, STRAIGHT

Sweep 4

- 3mm 5mm 8mm 10mm 12mm 14mm 16mm

Blade width
 20 mm No. 701356

Sweep 5

- 3 mm No. 700830
- 5 mm No. 700831
- 8 mm No. 700832
- 10 mm No. 701227
- 12 mm No. 700833
- 16 mm No. 700834
- 20 mm No. 700835
- 25 mm No. 700836
- 30 mm No. 700837
- 35 mm No. 700838
- 40 mm No. 700766

14 mm

22 mm

Sweep 6

- 3mm 5mm 10mm 12mm 14mm 16mm

20 mm No. 701357

25mm

Sweep 7

- 2 mm No. 700848
- 4 mm No. 700840
- 6 mm No. 700840
- 8 mm No. 700841
- 10 mm No. 700841
- 12 mm No. 700849
- 14 mm No. 700842
- 16 mm No. 700843
- 18 mm No. 700843
- 20 mm No. 700844
- 25 mm No. 700845
- 30 mm No. 700846
- 35 mm No. 700847
- 40 mm No. 700767

8 mm

16mm

Sweep 8

- 2mm
- 3mm
- 4 mm No. 700850
- 7 mm No. 700851
- 10 mm No. 700852
- 13 mm No. 700853
- 16 mm No. 701229
- 18 mm No. 700854
- 20 mm No. 701230
- 25 mm No. 700855
- 30 mm No. 700856
- 35 mm No. 700857
- 40 mm No. 701231

Sweep 9

- 2 mm No. 701232
- 3 mm No. 700858
- 5 mm No. 700860
- 7 mm No. 700861
- 10 mm No. 700862
- 13 mm No. 701233
- 15 mm No. 700863
- 20 mm No. 701234
- 25 mm No. 700864
- 30 mm No. 700859

Sweep 11

- 0.5 mm No. 701235
- 1 mm No. 700868
- 1.5mm 2 mm No. 700867
- 3 mm No. 700865
- 5mm 7 mm No. 701238
- 10 mm No. 700866
- 15 mm No. 700869
- 18 mm No. 701239

ΣΚΑΛΙΣΤΙΚΑ ΕΡΓΑΛΕΙΑ



A V-PARTING TOOLS, STRAIGHT
V-parting tools are popularly used in relief carving to delimit areas. Another important use is the cutting of even grooves.

Sweep 12 (V 60°)

Blade width
1 mm 3 mm No. 700870
 4 mm No. 701242
 6 mm No. 700871
 8 mm No. 701243
12 mm 10 mm No. 700872
14 mm

Sweep 13 (V 90°)

Blade width
10 mm 3 mm No. 700876
12 mm 6 mm No. 701245
14 mm 8 mm No. 700877

Sweep 14 (V 55°)

Blade width
4 mm 6 mm No. 700703
 8 mm No. 700873

Sweep 15 (V 45°)

Blade width
8 mm 3 mm No. 700874
 6 mm No. 700875

Sweep 16 (V 35°)

Blade width
1 mm 3 mm No. 700878
 6 mm No. 700879

Sweep 22, winged V-parting tool

Blade width
 6 mm No. 700730
 12 mm No. 700731

Sweep 23, macaroni bit

Blade width
 6 mm No. 700760




B SCULPTOR'S GOUGES, LONG BENT FORM
The long bent form is used in curved recesses to allow you to cut out of the piece from the deepest point without damaging the edges of the recess.

Sweep 7L
Blade width
10 mm 14 mm No. 700710
 20 mm No. 700884
 25 mm No. 700885
 35 mm No. 700711

Sweep 8L
Blade width
4 mm 10 mm No. 700715
 18 mm No. 700886
 30 mm No. 700716

Sweep 12L (V 60°)
Blade width
 3 mm No. 700720
 6 mm No. 701254
 10 mm No. 700721



& 1A/ 6mm
 & 5A/ 20mm
 & 3A/ 8mm
 & 3A/ 12mm
 & 3A/ 20mm


C SCULPTOR'S GOUGES, SHORT BENT FORM
Similar to the long bent form, these gouges are also used for deep, curved shapes. The even stronger bent of the gouge allows you to carve transitions in even deeper areas and to create small radiuses and arches.

Sweep 7A
Blade width
 6 mm No. 700887
 10 mm No. 701261
 14 mm No. 700880
 18 mm No. 701262
 25 mm No. 700881

Sweep 8A
Blade width
 7 mm No. 700700
 10 mm No. 700882
 18 mm No. 700883
 25 mm No. 700701

Sweep 11A
Blade width
 2 mm No. 700705
 4 mm No. 700706
 7 mm No. 700707

Sweep 12A (V 60°)
Blade width
6mm 3 mm No. 700725
 8 mm No. 700726



D BACK BENT, INSIDE BEVEL
Primarily used for convex shapes and cylindrical profiles which cannot be worked on with a turned straight gouge because of the strong curve.

Sweep 25
Blade width
 6 mm No. 700736
 10 mm No. 700738
 13 mm No. 700737



E DOG-LEG GOUGE
This gouge is used to clear the ground of deep, shouldered areas to their final depth and to rework corners.

Sweep 21
Blade width
 6 mm No. 700728
 12 mm No. 700729

20mm No 700739



F DRAGON GOUGE
This strongly bent gouge is ideal for deep recesses and for finishing corners, lettering and ornaments. Straight bevel.

Sweep 21 G
Blade width
 5 mm No. 700689






A FISHTAIL GOUGES, THIN BLADE
Thanks to their conical form, fishtail gouges are used for backcutting in relief carving and for general finishing work. Their projecting corners make it easy to cut within narrow recesses, in which the angle of the gouge can still be corrected.

Sweep 3F
Blade width
6 mm No. 700740
12 mm No. 700741
16 mm No. 700742


Sweep 5F
8 mm No. 700745
14 mm No. 700746
20 mm No. 700747

Sweep 7F
6 mm No. 700750
10 mm No. 700751
16 mm No. 700752

Sweep 9F
5 mm No. 700755
10 mm No. 700756
20 mm No. 700757



B ALLONGEE GOUGES
With an extra-hard hornbeam handle and heavy-duty ferrule, this gouge is designed for rough shaping with the mallet and can resist even the toughest impact. Blade length 140 mm Overall length 300 mm



Sweep Blade width
2 60 mm No. 700946
5 No. 700947
7 50 mm No. 701276
7 60 mm No. 700948
8 No. 701271
9 50 mm No. 700949

Pfeil® Compact carving tools Perfect for small objects and intricate work. The shorter blades and slender handles make these tools ideal for small hands performing delicate work. Blade length 90 mm Overall length 200 mm



A CHISELS, STRAIGHT, DOUBLE BEVEL

Sweep 1
Blade width
8 mm No. 700670

Sweep 1S, skew cut
8 mm No. 700671



B GOUGES, STRAIGHT

Sweep 2
Blade width
12 mm No. 700672

Sweep 3
12 mm No. 701328

Sweep 5
3 mm No. 700673
8 mm No. 700674
12 mm No. 700675

Sweep 7
4 mm No. 700676
10 mm No. 701332
14 mm No. 700678

Sweep 8
4 mm No. 701333
7 mm No. 700679
10 mm No. 700681

Sweep 9
5 mm No. 700682
10 mm No. 700683

Sweep 11
1 mm No. 700684
2 mm No. 701336
11 mm No. 700685



C SCULPTOR'S GOUGE, LONG BENT FORM

Sweep 7L
Blade width
10 mm No. 700677



D SCULPTOR'S GOUGE, SHORT BENT FORM

Sweep 8A
Blade width
7 mm No. 700680



E V-PARTING TOOLS, STRAIGHT

Sweep 12 (V 60°)
Blade width
2 mm No. 700686
4 mm No. 701338
6 mm No. 700688
8 mm No. 700687



Sweep 15 (V 45°)
3 mm No. 701340

Interesting fact:
The sweeps of gouges are based on a standard set by the so-called «Sheffield Illustrated List». The sweeps are circular segments. The larger the sweep, the stronger the concavity and the larger the arc segment. Thus, for example, sweep 3 describes a very flat concavity; sweep 9 describes a complete semi-circle.


ΣΚΑΛΙΣΤΙΚΑ ΚΟΝΤΑ ΕΛΒΕΤΙΑΣ PFEIL



ΓΙΑ ΞΥΛΟ ΚΑΙ ΛΙΝΟΛΑΙΟ

Comfortable in the hand, gouges for wood and linoleum carving, reliefs and small sculptures. Mushroom shaped handles made of untreated indigenous pearwood. BL 70 mm, OL 125 mm.

ΚΑΜΠΥΛΗ	ΠΛΑΤΟΣ	ΚΩΔΙΚΟΣ
1 straight	4	700780
1 straight	8	700902
1S skew	4	700781
1S skew	8	700903
1A straight/cranked	8	700904
5	3	700905
5	5	700782
5	8	700906
7	4	700783
7	6	700907
7	10	700908
9	5	700909
11	1	700910
11	3	700911
12 (V 60°)	1	700912
12A (V 60°, cranked)	4	700913
8	3	700914
8	7	700916
8A	7	700784
9	2	700917
11	0.5	700918
11	2	700785
12 (V 60°)	4	700919
15 (V 45°)	2	700936
B 1s flat/skew	12	700791
B 5	12	700793
B 7	14	700797



13



9



10



11



12

9-12 6 ΤΕΜ.

- 6-piece set in a carton
- 9 Set A**
1 x 700902/03/04/06/11/13.
No. **700900**
- 10 Set B**
1 x 700905/07/08/09/10/12.
No. **700901**
- 11 Set C**
1 x 700914/16/17/18/19/36.
No. **700939**
- 12 Set D**
1 x 700780/81/82/83/84/85.
No. **700891**

ΣΕΤ

13 12 ΤΕΜ.

12-piece set in a maplewood storage rack: 1 x 700902-13.
No. **700899**



ΣΚΑΛΙΣΤΙΚΑ ΑΓΓΛΙΑΣ ASHLEY ΚΟΝΤΑ

5-3mm



6-3mm



Συνολικό μέγεθος 146mm

ΙΑΠΩΝΙΑΣ

Μέγεθος λάμας 32mm

